


# Quilter's Rule™

## Brings you the Loop-to-Loop Tool





MQT-LTL is ¼" thick. HMQT-LTL is ⅜" thick.

The Loop-to-Loop Tool is designed to allow machine quilters to quilt a series of continuous loops along a border. This tool will make 3" and 4" loops.

If you are using the template to quilt around (such as long/mid-arm machine or high shank home machine), use the ¼" thick acrylic. If you are using a low shank home machine, use the ⅜" thick acrylic. If you are using a machine that is stationary, you may find it helpful to put some type of agent such as Grip Stop Dots or spray adhesive on the template. Before using the tool, peel any film or paper masking from the template in order to see through the clear plastic.

## Loop-to-Loop Chain

- 1 Use a line drawn (or chalked) on the quilt or a seam to create a Loop-to-Loop chain design. Use the etched lines on the tool to align the chosen size loop on the drawn line or seam.
- 2 Starting at point A, sew to point B. Needle down.
- 3 Flip the Loop Tool horizontally. Align the tool on the drawn line or seam.
- 4 Continue to sew from point B to point C (the crook of the tool). Needle down.
- 5 Flip the Loop Tool horizontally. Align the tool on the drawn line or seam.
- 6 Continue to sew from point C to point D. Needle down.
- 7 To continue the loop design, repeat the above steps.




# High/Low Circles

- 1 Use a line drawn (or chalked) on the quilt or a seam to create the high/low circles design. Use the edge of the tool to align the chosen size loop over the drawn line or seam.
- 2 Starting at point A, sew to point B. Needle down.
- 3 Flip the Loop Tool over vertically. Align the tool on the drawn line or seam.
- 4 Continue to sew from point B to point C. Needle down.
- 5 Flip the Loop Tool over vertically. Align the tool on the drawn line or seam.
- 6 Continue to sew from point C to point D. Needle down.
- 7 To continue the high/low circles design, repeat the above steps.

## Tip:

To create a vertical registration line on the tool somewhere other than the edge, use a piece of Blue Painter's Tape.





Step 2  
A to B

Step 3  
Flip

Step 4  
B to C

Step 5  
Flip

Step 6  
C to D



# “S” Chain

- 1 Use a line drawn (or chalked) on the quilt or a seam to create an “S” chain design. Use the guide line of the tool to align the chosen size loop over the drawn line or seam.
- 2 Starting at point A, sew to point B. Needle down.
- 3 Slide the Loop Tool sideways until the tool touches the foot. Align the tool on the drawn line or seam.
- 4 Sew from point B to point C and then back to point B (backstitching is shown in red). Stitch to point D and then back to E. Needle down.
- 5 Slide the Loop Tool sideways until the tool touches the foot. Align the tool on the drawn line or seam.
- 6 Sew from point E to point F. Needle down.
- 7 To continue the “S” chain design, repeat steps 4, 5, and 6.

